


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	integrat\$6 near4 application\$3 near9 ((ldap directory) adj servers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:31
L2	41	integrat\$6 near3 (network adj application\$3) near9 (ldap director\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:37
L3	1	"6708170".pn. and (application\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:51
L4	0	(unified\$5 adj application?) with (director\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:56
L5	2	(unified\$5 adj2 application?) with (director\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:58
L6	3	integrat\$5 near director\$3 near server?	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:59
L7	372	integrat\$5 near director\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:59
L8	20	integrat\$5 near (ldap director\$3) near (service? server?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:14

L9	257	integrat\$5 near3 (ldap director\$3) near3 (service? server?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:15
L10	7	integrat\$5 near3 (ldap) near3 (service? server?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:21
L11	0	(table\$3 near directory near3 schema)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:21
L12	52	(table\$3 near9 directory near9 schema)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:30
L13	0	different adj application adj schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 13:30
L14	133	application adj schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:26
L15	0	(identify\$5 determin\$5 detect\$5) near3 attribut\$5 near name? near9 (use\$3 near2 server\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:28
L16	1	(identify\$5 determin\$5 detect\$5) with attribut\$5 near name? with (use\$3 near2 server\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:29

L17	117	(identify\$5 determin\$5 detect\$5) with attribut\$5 with (use\$3 near2 server\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:29
L18	72	(identify\$5 determin\$5 detect\$5) near9 attribut\$5 near9 (use\$3 near2 server\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:34
L19	22	18 and @ad<"20001101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:30
L20	20	(identify\$5 determin\$5 check\$5 figure\$5 analyz\$5 detect\$5) near9 (name\$3 value\$3 attribut\$5) near4 table\$3 near9 (use\$3 near2 server\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:38
L21	7	(identify\$5 determin\$5 check\$5 figure\$5 analyz\$5 detect\$5) near9 (name\$3 value\$3 attribut\$5) near4 table\$3 near9 (retriev\$5 near2 server\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:38
L22	5558	(universal\$3 unified) adj application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:52
L23	0	((universal\$3 unified) adj application) with (different plurality multiple\$3) with director\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:53
L24	4	((universal\$3 unified) adj application) with director\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:59

S1	99	((different\$5 multiple plurality) near2 ldap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 10:56
S2	99	((different\$5 multiple plurality) near2 ldap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:01
S3	1	((different\$5 multiple plurality) near2 ldap near3 vendor\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:30
S4	2	("6484177").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:04
S5	2	("6675261").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:04
S6	6	((different\$5 multiple plurality) near5 ldap near5 vendor\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:10
S7	14	((("6389589") or ("6260039") or ("6230190") or ("6208986") or ("6189000") or ("6105131") or ("5758153"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:23
S8	0	integrat\$6 near4 application\$3 near3 ((multiple plurality different\$5) adj2 ((directory ldap) adj3 server\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:25

S9	0	integrat\$6 near5 application\$3 near5 ((multiple plurality different\$5) adj2 ((directory ldap) adj3 server\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:25
S10	181	integrat\$6 near3 application\$3 near5 servers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:25
S11	30	integrat\$6 near application\$3 near servers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:26
S12	0	integrat\$6 near3 application\$3 near3 ((ldap directory) adj servers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 11:27
S13	13	integrat\$6 near9 application\$3 near9 ((ldap directory) adj servers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 12:31

**Web**

Results 11 - 20 of about 8,120 for "universal application" using in different servers. (0.05 seconds)

Microsoft BizTalk Server: Application Vendor Partner

... deploy integration projects from anywhere in the world using BizTalk Server. ... on Siebel UAN (**Universal Application Network**) and runs on BizTalk 2004. ...
www.microsoft.com/biztalk/partners/partner_applicationvendor/default.asp - 62k - May 27, 2005 - [Cached](#) - [Similar pages](#)

Sponsored Links**Application Servers**

Your one stop shop for all the top info on **application servers**
www.thesourceman.com

EpsilonTechnologies

... Baikonur SuperServer is positioned as a **universal application** server for ... prototype of Baikonur application servers) supported dozens of different ...
www.nl.epsylontech.com/products/pubwp/tco/tco.htm - 71k - [Cached](#) - [Similar pages](#)

Chapter 8

... The **Universal Application Server** plays a central role in applications implemented using Network Computing Architecture. ...
www.sabah.gov.my/info/itmp/techre/chap8.html - 17k - [Cached](#) - [Similar pages](#)

OReview - March 1997 - Oracle Database Integration with the Web

... with a **Universal Application Server** (running Unix or Windows NT), ... Using a Windows NT platform for your Web server may be preferable to a Unix-based ...
www.oreview.com/9703blac.htm - 42k - [Cached](#) - [Similar pages](#)

OLAP software for data analysis and Corporate Performance ...

... **universal application** server—PowerPlay Enterprise Server (PPES)— and three ... using regional settings— all from a single application server. ...
www.cognos.com/products/business_intelligence/analysis/factsheet.html - 36k - [Cached](#) - [Similar pages](#)

The Cover Pages: Siebel's Universal Application Network

... even where different applications or integration servers are deployed. ... server vendors, **Universal Application Network** is technically robust, ...
xml.coverpages.org/SiebelUniversalApplicationNetwork.html - 25k - [Cached](#) - [Similar pages](#)

Siebel-Microsoft Alliance - Press Release

... The new XML-based Web Services model for connecting different systems is a ... executed on **Universal Application Network** using Microsoft BizTalk Server ...
www.siebel-microsoft.com/pr_announcement.shtm - 28k - [Cached](#) - [Similar pages](#)

ComparisonwithDiags


... Perhaps the **universal application** protocol will be HTTP. ... They communicate using the HTTP, IIOP, RMI or COM protocols with servers. ...
www.pacificspirit.com/Authoring/ObjectMag-comparison/Comparison.html - 35k - [Cached](#) - [Similar pages](#)

Microsoft Siebel Implementation Workshops, Training Courses, and ...

... introduces the concept of integration solutions using UAN and BizTalk Server. ... of BizTalk Server's implementation of **Universal Application Network**. ...
www.siebelonmicrosoft.com/mssiebel/Technology/WorkshopsContent.aspx - 102k - [Cached](#) - [Similar pages](#)

TongTECH—Product

... The e-government affairs systems are deployed on different platforms in ... The **universal application** groupware provided upon the Gateway Service ...
www.tongtech.com/english/product/index7.htm - 61k - [Cached](#) - [Similar pages](#)



Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

This is Google's cache of <http://swforum.sun.com/jive/thread.jspa?threadID=53532&messageID=205166> as retrieved on May 27, 2005 06:34:23 GMT.

Google's cache is the snapshot that we took of the page as we crawled the web.

The page may have changed since that time. [Click here](#) for the current page without highlighting.

This cached page may reference images which are no longer available. [Click here](#) for the cached text only.

To link to or bookmark this page, use the following url: http://www.google.com/search?q=cache:qQMM6kXht2cJ:swforum.sun.com/jive/thread.jspa*3FthreadID*3D53532%26messageID*3D205166+application+using+in+different+servers&hl=en&start=10

Google is not affiliated with the authors of this page nor responsible for its content.

These search terms have been highlighted: **application using different servers**



>> search tips

Search

in Developers' Site



Products and
Technologies

Technical
Topics

Developers Home > Developer Forums > Sun Software Forums > Web & Directory **Servers** >
Directory **Servers** / Identity Management > Sun Java System Access Manager >

Join a Sun Developer Network
[Register](#) | [Why Register?](#)

Developer Forums

Sun Software Forums - using two different ldap-Servers?

Sun Software Forums

Duke Dollars

Welcome

[Back to Forum](#) | Watch this topic

>> Login

This topic has 1 reply on 1 page.

Search Forums

using two different ldap-Servers?

May 19, 2005 12:34 AM

Author: Torsten_Beilke

Reply

Within our company we use a central ldap-service for authentication. To to the amount of **different** applications and roles, it is currently not planned to use this service also for roles management. Thus we think of installing SUN Directory Server for our department. But as most products can only be configured for one ldap server, we need the following architecture:

1. **Application** connects to SUN Directory Server for authentication and roles request
2. SUN Server reroute authentication request to central LDAP-Server and enhances the results with its own user information for defined user roles.
3. SUN Server sends this combined information back to **Application**

Is it possible to configure SUN Directory Server in this way?

Thanks a lot for your support,
Torsten Beilke

Re: using two different ldap-Servers?

May 19, 2005 4:21 AM (reply 1 of 1)

Author: jh23093


Reply

It is not clear to me what is the relationship between LDAP DS server to applications you wish to manage. Sun does have the web policy agent and J2EE agent just doing what you describe below.

The access manager is the center of this architecture which will authenticate any new user to corp. LDAP DS. If any user tries to access **application** (web or J2EE), the request will redirect to AM (access manager) to post a login page. After this user enters name/password, submit to verification against corp.DS. If it is OK, then redirect user browser to **application** with valid cookie (token) and **application** can interact with user starting this point. Is this scenario inline with what you want to accomplish in your use case? If not, give us your detail scenario. Jerry

[Back to Forum](#) | Watch this topic

This topic has 1 reply on 1 page.




[About Sun](#) | [About This Site](#) | [Newsletters](#) | [Contact Us](#) |
[Employment](#)
[How to Buy](#) | [Licensing](#) | [Terms of Use](#) | [Privacy](#) |
[Trademarks](#)

Copyright 1994-2005 Sun Microsystems, Inc.

**A Sun Developer Network
Site**

Unless otherwise licensed,
code in all technical manuals
herein (including articles,
FAQs, samples) is provided
under this License.

 [Content Feeds](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 11 - 20 of about 8,120 for "universal application" using in different servers. (0.05 seconds)

Microsoft BizTalk Server: Application Vendor Partner

... deploy integration projects from anywhere in the world **using** BizTalk Server. ... on Siebel UAN (**Universal Application Network**) and runs on BizTalk 2004. ...
www.microsoft.com/biztalk/partners/partner_applicationvendor/default.asp - 62k - May 27, 2005 - [Cached](#) - [Similar pages](#)

Sponsored Links

Application Servers

Your one stop shop for all the top info on **application servers**
www.thesourceman.com

EpsilonTechnologies

... Baikonur SuperServer is positioned as a **universal application server** for ... prototype of Baikonur application **servers**) supported dozens of **different** ...
www.nf.epsylontech.com/products/pubwp/tco/tco.htm - 71k - [Cached](#) - [Similar pages](#)

Chapter 8

... The **Universal Application Server** plays a central role in applications implemented **using** Network Computing Architecture. ...
www.sabah.gov.my/info/itmp/techre/chap8.html - 17k - [Cached](#) - [Similar pages](#)

OReview - March 1997 - Oracle Database Integration with the Web

... with a **Universal Application Server** (running Unix or Windows NT), ... **Using** a Windows NT platform for your Web server may be preferable to a Unix-based ...
www.oreview.com/9703blac.htm - 42k - [Cached](#) - [Similar pages](#)

OLAP software for data analysis and Corporate Performance ...

... **universal application server**—PowerPlay Enterprise Server (PPES)— and three ... **using** regional settings— all from a single application server. ...
www.cognos.com/products/business_intelligence/analysis/factsheet.html - 36k - [Cached](#) - [Similar pages](#)

The Cover Pages: Siebel's Universal Application Network

... even where **different** applications or integration **servers** are deployed. ... server vendors, **Universal Application Network** is technically robust, ...
xml.coverpages.org/SiebelUniversalApplicationNetwork.html - 25k - [Cached](#) - [Similar pages](#)

Siebel-Microsoft Alliance - Press Release

... The new XML-based Web Services model for connecting **different** systems is a ... executed on **Universal Application Network using** Microsoft BizTalk Server ...
www.siebel-microsoft.com/pr_announcement.shtml - 28k - [Cached](#) - [Similar pages](#)

ComparisonwithDiags


... Perhaps the **universal application** protocol will be HTTP. ... They communicate **using** the HTTP, IIOP, RMI or COM protocols with **servers**. ...
www.pacificspirit.com/Authoring/ObjectMag-comparison/Comparison.html - 35k - [Cached](#) - [Similar pages](#)

Microsoft Siebel Implementation Workshops, Training Courses, and ...

... introduces the concept of integration solutions **using** UAN and BizTalk Server. ... of BizTalk Server's implementation of **Universal Application Network**. ...
www.siebelonmicrosoft.com/mssiebel/Technology/WorkshopsContent.aspx - 102k - [Cached](#) - [Similar pages](#)

TongTECH—Product

... The e-government affairs systems are deployed on **different** platforms in ... The **universal application** groupware provided upon the Gateway Service ...
www.tongtech.com/english/product/index7.htm - 61k - [Cached](#) - [Similar pages](#)




Result Page: **[Previous](#)** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) **[Next](#)**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

**Web**Results 1 - 10 of about 24,800,000 for **application using in different servers**. (0.18 seconds)**Enabling application isolation**

... Note: Although this discussion describes using JRun 4, other J2EE application servers ... Web servers have different terminology for this concept. ...
 livedocs.macromedia.com/coldfusion/6.1/html/docs/cluster5.htm - 10k -
[Cached](#) - [Similar pages](#)

Sponsored Links**Application Servers**

Your one stop shop for all the top
 info on **application servers**
www.thesourceman.com

Application Development in .NET - Design Issues and Architectures

... The amount of Data; The ease of integration with other Databases or a different server ... Three-Tier Application Architecture using .NET Remoting ...
www.c-sharpcorner.com/Code/2005/March/DesignTechniques.asp - 31k -
[Cached](#) - [Similar pages](#)

Using SharePoint Portal Server to Index Your Custom Application

... Using SharePoint Portal Server to Index Your Custom Application. Although you can plumb the depths of SharePoint's search engine, creating custom ...
www.devx.com/dotnet/Article/27998?trk=DXRSS_DB - 79k - [Cached](#) - [Similar pages](#)

How Naming in WebSphere Application Server V5 Impacts Migration ...

... for 5.0 is different from that of earlier Application Server versions: ... Impact to migration when using Application Server migration tools ...
www.devx.com/ibm/Article/17220 - 44k - [Cached](#) - [Similar pages](#)

ASP.NET Application Using Wait Handles

... you can retrieve it from a configuration file using the 'System. ... application, you might be connecting to ' three different servers or databases. ...
winfx.msdn.microsoft.com/library/en-us/wd_adonet/html/f588597a-49de-4206-8463-4ef377e112ff.asp - 42k - [Cached](#) - [Similar pages](#)

Oracle Application Server EJB 3.0 Preview

Oracle Application Server EJB 3.0 Preview - All the resources you need to start using EJB 3.0 right now. ... Powered by Oracle Application Server Portal.
www.oracle.com/technology/tech/java/ejb30.html - 51k - [Cached](#) - [Similar pages](#)

Web Analytics Using Oracle Application Server Discoverer

... of different servers, the job of accessing generated trace files and using ... power and flexibility of the Oracle Application Server Discoverer query ...
www.oracle.com/technology/pub/articles/cambier_disc.htm - 74Y37k - [Cached](#) - [Similar pages](#)

The K-Zone: A SunONE Application Server 7 FAQ


... How is SunONE Application Server 7 different from iAS 6/6.5? ... The application server services web clients using the HTTP core from the SunONE Web ...
www.kevinboone.com/s1as7-faq.html - 47k - [Cached](#) - [Similar pages](#)

WebLogic Server Deployment

... You can deploy an application using the WebLogic Server Administration Console, ... the source of an application between different servers in a domain. ...
e-docs.bea.com/wls/docs70/programming/deploying.html - 103k - [Cached](#) - [Similar pages](#)

Sun Software Forums - using two different ldap-Servers?

... Application connects to SUN Directory Server for authentication and roles request ...
 Re: using two different ldap-Servers? Author: jh23093, May 19, ...
swforum.sun.com/jive/thread.jspa?threadID=53532&messageID=205166 - 21k - May 26, 2005 - [Cached](#) - [Similar pages](#)




Google Search 377 blocked Check AutoLink AutoFill

application using in different servers:

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

<http://www.google.com/search?hl=en&lr=&q=application+using+in+different+servers> 5/27/05

**Web**Results 1 - 10 of about 24,800,000 for **application using in different servers**. (0.18 seconds)**Enabling application isolation**

... Note: Although this discussion describes **using JRun 4**, other J2EE **application servers** ... **Web servers** have **different terminology** for this concept. ...
 livedocs.macromedia.com/coldfusion/6.1/htmldocs/cluster5.htm - 10k -
[Cached](#) - [Similar pages](#)

Sponsored Links**Application Servers**

Your one stop shop for all the top
 info on **application servers**
www.thesourceman.com

Application Development in .NET - Design Issues and Architectures

... The amount of Data; The ease of integration with other Databases or a **different server** ... **Three-Tier Application Architecture using .NET Remoting** ...
www.c-sharpcorner.com/Code/2005/March/DesignTechniques.asp - 31k -
[Cached](#) - [Similar pages](#)

Using SharePoint Portal Server to Index Your Custom Application

... **Using SharePoint Portal Server to Index Your Custom Application**. Although you can plumb the depths of SharePoint's search engine, creating custom ...
www.devx.com/dotnet/Article/27998?trk=DXRSS_DB - 79k - [Cached](#) - [Similar pages](#)

How Naming in WebSphere Application Server V5 Impacts Migration ...

... for 5.0 is **different** from that of earlier **Application Server** versions: ... Impact to migration when **using Application Server** migration tools ...
www.devx.com/ibm/Article/17220 - 44k - [Cached](#) - [Similar pages](#)

ASP.NET Application Using Wait Handles

... you can retrieve it from a configuration file **using** the 'System. ... **application**, you might be connecting to 'three **different servers** or databases. ...
winfx.msdn.microsoft.com/library/en-us/wd_adonet/html/f588597a-49de-4206-8463-4ef377e112ff.asp - 42k - [Cached](#) - [Similar pages](#)

Oracle Application Server EJB 3.0 Preview

Oracle **Application Server EJB 3.0 Preview** - All the resources you need to start **using EJB 3.0** right now. ... Powered by Oracle **Application Server Portal**.
www.oracle.com/technology/tech/java/ejb30.html - 51k - [Cached](#) - [Similar pages](#)

Web Analytics Using Oracle Application Server Discoverer

... of **different servers**, the job of accessing generated trace files and **using** ... power and flexibility of the Oracle **Application Server Discoverer** query ...
www.oracle.com/technology/pub/articles/cambier_disc.html - 37k - [Cached](#) - [Similar pages](#)

The K-Zone: A SunONE Application Server 7 FAQ

... How is SunONE **Application Server 7** **different** from iAS 6/6.5? ... The **application server** services web clients **using** the HTTP core from the SunONE Web ...
www.kevinboone.com/s1as7-faq.html - 47k - [Cached](#) - [Similar pages](#)

WebLogic Server Deployment

... You can deploy an **application using** the WebLogic **Server Administration Console**, ... the source of an **application** between **different servers** in a domain. ...
e-docs.bea.com/wls/docs70/programming/deploying.html - 103k - [Cached](#) - [Similar pages](#)

Sun Software Forums - using two different ldap-Servers?

... **Application** connects to SUN **Directory Server** for authentication and roles request ...
 Re: **using two different ldap-Servers?** Author: jh23093, May 19, ...
swforum.sun.com/jive/thread.jspa?threadID=53532&messageID=205166 - 21k - May 26, 2005 - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)

Google -	<input type="text"/>	Search -		Check -	AutoLink -	AutoFill
----------	----------------------	----------	---	---------	------------	----------

application using in different servers:

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google